Contents to volume 267

Research Letters

Structural analysis of the regulatory region of the human corticotropin releasing hormone gene (FEBS 08539) *N.C. Vamvakopoulos, M. Karl, V. Mayol, T. Gomez, C.A. Stratakis, A. Margioris, G.P. Chrousos* 1

A novel combination of prosthetic groups in a fungal laccase; PQQ and two copper atoms (FEBS 08531) *E. Karhunen, M.-L. Niku-Paavola, L. Viikari, T. Haltia, R.A. van der Meer, J.A. Duine* 6

Degradation of 2-phosphoglycerate by cytotoxin B of *Clostridium difficile* (FEBS 08532) *F. Knoop, R. Martig, M. Owens* 9

The amino acid sequence of a novel inhibitor of cathepsin D from potato (FEBS 08537) *A. Ritonja, I. Križaj, P. Meško, M. Kopitar, P. Lučovnik, B. Štrukelj, J. Pungerčar, D.J. Buttle, A.J. Barrett, V. Turk* 13

Enhanced secretion of endothelin-1 by elevated glucose levels from cultured bovine aortic endothelial cells (FEBS 08540) *T. Yamauchi, K. Ohnaka, R. Takayanagi, F. Umeda, H. Nawata* 16

Mapping mutations in influenza A virus resistant to norakin (FEBS 08538) *S. Prösch, H. Heider, C. Schroeder, A.A. Shilov, B.V. Sinitzyn, V.M. Blinov, D.H. Krüger, C. Frömmel* 19

Interaction between injected Ca^{2+} and intracellular Ca^{2+} stores in *Xenopus* oocytes (FEBS 08542) *N. Dascal, R. Boton* 22

Modulation of vertebrate brain Na^+ and K^+ channels by subtypes of protein kinase C (FEBS 08541) *I. Lotan, N. Dascal, Z. Naor, R. Boton* 25

ESR spin trapping and NMR spectroscopy of the same heart shows correlation between energy depression and radical formation during postischemic reperfusion (FEBS 08543) *I.E. Blasig, A.Y. Steinschneider, V.L. Lakomkin, A.N. Ledenev, O.V. Korchazhkina, E.K. Ruuge* 29

Electron microscopy of native and artificial methylreductase high-molecular-weight complexes in strain Gö 1 and *Methanococcus voltae* (FEBS 08544) *M. Hoppert, F. Mayer* 33

Two-dimensional crystallization of DNA gyrase B subunit on specifically designed lipid monolayers (FEBS 08545) *L. Lebeau, E. Regnier, P. Schultz, J.C. Wang, C. Mioskowski, P. Oudet* 38

RGD peptides may only temporarily inhibit cell adhesion to fibronectin (FEBS 08546) *J. Ylänne* 43

Unwinding of duplex DNA during transcription initiation at the *Escherichia coli* galactose operon overlapping promoters (FEBS 08547) *B. Chan, S. Minchin, S. Busby* 46

ATP-dependent regulation of phospholipase C in permeabilized 3T3 cells (FEBS 08549) *K. Higashi, H. Ogawara* 51

Determination of amino acids critical to the main immunogenic region of intact acetylcholine receptors by in vitro mutagenesis (FEBS 08550) *M.S. Saedi, R. Anand, W.G. Conroy, J. Lindstrom* 55

Expression of human α_1-antitrypsin using a recombinant adenovirus vector (FEBS 08551) *P. Gilardi, M. Courtney, A. Pavirani, M. Perricaudet* 60

Further studies of a new vitamin E analogue more active than α-tocopherol in the rat curative myopathy bioassay (FEBS 08552) *K.U. Ingold, G.W. Burton, D.O. Foster, L. Hughes* 63

Carbonic anhydrase inhibition and calcium transients in soleus fibers (FEBS 08553) *P. Wetzel, T. Liebner, G. Gros* 66

Evidence for posttranscriptional regulation of synthesis of the *Bacillus subtilis* Gnt repressor (FEBS 08554) *Y. Fujita, T. Fujita, Y. Miwa* 71

Enhancement of FGF-like polypeptides in the retinae of newborn mice exposed to hyperoxia (FEBS 08555) *F. Nyberg, R. Hahnenberger, Å.M. Jakobson, L. Terenius* 75

Characterization of receptors for glucagon-like peptide-1 (7–36)amide on rat lung membranes (FEBS 08558) *G. Richter, R. Göke, B. Göke, R. Arnold* 78

Amino acid sequence of pheromone-inducible surface protein in *Enterococcus faecalis*, that is encoded on the conjugative plasmid pPD1 (FEBS 08556) *J. Nakayama, H. Nagasawa, A. Isogai, D.B. Clewell, A. Suzuki* 81

Distribution of inositol 1,4,5-trisphosphate receptor mRNA in mouse tissues (FEBS 08559) *T. Furuichi, C. Shiota, K. Mikoshiba* 85

Activation of protein kinases A and C increase lymphocyte penetration through endothelial monolayers (FEBS 08561) *R. Renkonen* 89

Decavanadate acts like an α-adrenergic agonist in redistributing protein kinase C activity (FEBS 08560) *S. Gullapalli, C.K. Ramakrishna Kurup, T. Ramasarma* 93

Fructose-6-phosphate modifies the pathway of the urea-induced dissociation of the allosteric phosphofructokinase from *Escherichia coli* (FEBS 08562) *W. Teschner, D. Deville-Bonne, J.-R. Garel* 96

Oxidation of non-phenolic substrates: An expanded role for laccase in lignin biodegradation (FEBS 08563) *R. Bourbonnais, M.G. Paice* 99

Effect of ATP on the activity of bovine heart mitochondrial b–c_1 complex (FEBS 08564) *M. Lorusso, T. Cocco, M. Minuto, S. Papa* 103

Role of butyrylcholinesterase in canine tracheal smooth muscle function (FEBS 08565) *M. Adler, M.G. Filbert* 107

Staurosporine enhances gonadotrophin-releasing hormone-stimulated luteinizing hormone secretion (FEBS 08566) *P.A. van der Merwe, R.P. Millar, I.K. Wakefield, M.B. Macrae, J.S. Davidson* 111

Essential role of ferrous iron in cyanide-resistant respiration in *Hansenula anomala* (FEBS 08568) *N. Minagawa, S. Sakajo, T. Komiyama, A. Yoshimoto* 114

Formation and decay of cytochrome *c* peroxidase compound ES during aerobic redution with dithionite (FEBS 08567) *Y. Orii, H. Anni* 117

Presence of a differentially expressed U3A RNA variant in mouse: Structure and evolutive implications (FEBS 08569) *S. Mazan, L.H. Qu, J. Sri-Widada, M. Nicoloso, J.P. Bachellerie* 121

A second isoform of chicken brush border myosin I contains a 29-residue inserted sequence that binds calmodulin (FEBS 08570) *D.J. Halsall, J.A. Hammer III* 126

Lipoprotein(a) enhances plasma clot lysis in vitro (FEBS 08571) *S.J.T. Mao, M.A. Tucci* 131

Phosphorylation of magainin-2 by protein kinase C and inhibition of protein kinase C isozymes by a synthetic analogue of magainin-2-amide (FEBS 08572) *H. Nakabayashi, J.H. Brown, J.L. Morell, H.-C. Chen, K.-P. Huang* 135

High mobility group proteins 1 and 2 bind preferentially to brominated poly(dG-dC).poly(dG-dC) in the Z-DNA conformation but not to other types of Z-DNA (FEBS 08573) *T. Christen, M. Bischoff, R. Hobi, C.C. Kuenzle* 139

The prosomal protein of 27 kDa and a nuclear 38 kDa protein are immunologically related (FEBS 08574) *C. Kreutzer-Schmid, H.-P. Schmid* 142

One amino acid change in rat SMR1 polypeptide induces a 1 kDa difference in its apparent molecular mass determined by electrophoretic analysis (FEBS 08575) *I. Rosinski-Chupin, F. Rougeon* 147

The role of a conserved guanosine residue in the hammerhead-type RNA enzyme (FEBS 08576) *O. Odai, H. Hiroaki, T. Sakata, T. Tanaka, S. Uesugi* 150

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

The cDNA and deduced amino acid sequence of the γ subunit of the L-type calcium channel from rabbit skeletal muscle (FEBS 08577) *E. Bosse, S. Regulla, M. Biel, P. Ruth, H.E. Meyer, V. Flockerzi, F. Hofmann* 153
Reconstitution of the 9 S estrogen receptor with heat shock protein 90 (FEBS 08579) *K. Inano, M. Haino, M. Iwasaki, N. Ono, T. Horigome, H. Sugano* 157
The human islet amyloid polypeptide (IAPP) gene: Organization, chromosomal localization and functional identification of a promoter region (FEBS 08578) *L. Christmanson, F. Rorsman, G. Stenman, P. Westermark, C. Betsholtz* 160
Effect of pH on CO recombination to cytochrome oxidase in intact mitochondria (FEBS 08581) *H.J. Harmon, B.K. Stringer* 167
Interaction of two brain annexins, CaBP33 and CaBP37, with membrane-skeleton proteins (FEBS 08582) *I. Giambanco, G. Pula, R. Bianchi, R. Donato* 171
Monoclonal antibody to desmin purified from cow Purkinje fibers reveals a cell-type specific determinant (FEBS 08580) *I. Virtanen, O. Närvänen, L.-E. Thornell* 176

Notes to Authors 179

Discussion Letter

Two phosphorylation sites on eIF-2α (FEBS 08585) *G. Kramer* 181

Research Letters

Neural cell adhesion molecule (N-CAM) in fetal and mature human heart (FEBS 08557) *S. Al-Mahdawi, A. Shallal, R.K.H. Wyse* 183
The structure of NADH peroxidase from *Streptococcus faecalis* at 3.3 Å resolution (FEBS 08583) *T. Stehle, S.A. Ahmed, A. Claiborne, G.E. Schulz* 186
Treatment of human peripheral lymphocytes with concanavalin A activates expression of glutathione reductase (FEBS 08584) *H.H. Arnold, H. Heinze* 189
Nucleotide sequence of four genes encoding ribosomal proteins from the 'S10 and spectinomycin' operon equivalent region in the archaebacterium *Halobacterium marismortui* (FEBS 08588) *E. Arndt* 193
Selective solubilization of chlorosome proteins in *Chloroflexus aurantiacus* (FEBS 08589) *A. Eckhardt, R. Brunisholz, G. Frank, H. Zuber* 199
Restoration of light induced photosystem II inhibition without de novo protein synthesis (FEBS 08590) *T. Hundal, E.-M. Aro, I. Carlberg, B. Andersson* 203
Does the Kunitz domain from the Alzheimer's amyloid β protein precursor inhibit a kallikrein responsible for post-translational processing of nerve growth factor precursor? (FEBS 08591) *M. Castro, C.B. Marks, B. Nilsson, S. Anderson* 207
Growth factor-induced release of a glycosyl-phosphatidylinositol (GPI)-linked protein from the HEp-2 human carcinoma cell line (FEBS 08592) *J.M. Roberts, P. Kenton, P.M. Johnson* 213
Interleukin-1β inhibits glucokinase activity in clonal HIT-T15 β-cells (FEBS 08593) *M. Beggs, G. Beresford, J. Clarke, R. Mertz, J. Espinal, P. Hammonds* 217
Reduction of adenylyl cyclase activity by cholera toxin in myeloid cells: Long-term down-regulation of Gsα subunits by cholera toxin treatment (FEBS 08594) *S. Hermouet, G. Milligan, M. Lanotte* 221
Cooperativity between platelet-activating factor and collagen in aggregation of bovine platelets III (FEBS 08595) *S. Kojima, F. Sekiya, Y. Inada, F. Sato, T. Tsukada, Y. Saito* 226
The involvement of fatty acid binding protein in peroxisomal fatty acid oxidation (FEBS 08596) *F.A.G. Reubsaet, J.H. Veerkamp, M.L.P. Brückwilder, J.M.F. Trijbels, L.A.H. Monnens* 229
Acetylcholine receptor gene expression in experimental autoimmune myasthenia gravis (FEBS 08597) *O. Asher, D. Neumann, V. Witzemann, S. Fuchs* 231
The principal difference in regulation of the catalytic activity of water-soluble and membrane forms of enzymes in reversed micelles: γ-Glutamyltransferase and aminopeptidase (FEBS 08598) *A.V. Kabanov, S.N. Nametkin, A.V. Levashov* 236
Pressure-induced dissociation of tight couple ribosomes (FEBS 08600) *M. Groß, R. Jaenicke* 239
Coupling of early response gene expression to distinct regulatory pathways during α-interferon and phorbol ester-induced plasmacytoid differentiation of B chronic lymphocytic leukaemia cells (FEBS 08605) *J.J. Murphy, J.D. Norton* 242
Apis mellifera cytoplasmic elongation factor 1α (EF-1α) is closely related to *Drosophila melanogaster* EF-1α (FEBS 08604) *U. Walldorf, B.T. Hovemann* 245
Immunocytochemical evidence of vertebrate bioactive peptide-like molecules in the immuno cell types of the freshwater snail *Planorbarius corneus* (L.) (Gastropoda, Pulmonata) (FEBS 08606) *E. Ottaviani, A. Cossarizza* 250
TPA and resiniferatoxin-mediated activation of NADPH-oxidase: A possible role for Rx-kinase augmentation of PKC (FEBS 08608) *A.T. Evans, P. Sharma, W.J. Ryves, F.J. Evans* 253
Fructose 2,6-bisphosphate and glycolytic flux in skeletal muscle of swimming frog (FEBS 08612) *G. Wegener, U. Krause, M. Thuy* 257
Properties and nature of a cysteine proteinase inhibitor located in keratohyalin granules of rat epidermis (FEBS 08613) *M. Takahashi, T. Tezuka, T. Towatari, N. Katunuma* 261
Regulation of the level of uncoupling protein in brown adipose tissue by insulin requires the mediation of the sympathetic nervous system (FEBS 08610) *A. Géloën, P. Trayhurn* 265
The three-dimensional structure of porin from *Rhodobacter capsulatus* at 3 Å resolution (FEBS 08622) *M.S. Weiss, T. Wacker, J. Weckesser, W. Welte, G.E. Schulz* 268
Differential sensitivity of bicarbonate-reversible formate effects on herbicide-resistant mutants of *Synechocystis* 6714 (FEBS 08615) *Govindjee, C. Vernotte, B. Peteri, C. Astier, A.-L. Etienne* 273
BiP expression is not increased by the accumulation of PiZ α_1-antitrypsin in the endoplasmic reticulum (FEBS 08617) *D. Cresteil, E. Ciccarelli, T. Soni, M.A. Alonso, P. Jacobs, A. Bollen, Fernando Alvarez* 277
Activation of single Ca^{2+}-dependent K^+ channel by external ATP in mouse macrophages (FEBS 08618) *N. Hara, M. Ichinose, M. Sawada, K. Imai, T. Maeno* 281
Modelling heme d_1: The spectral properties of copper(II) porphyrindiones (FEBS 08619) *L.A. Andersson, T.M. Loehr, W. Wu, C.K. Chang, R. Timkovich* 285
Biosynthesis of peptide precursors and protease inhibitors using new constitutive and inducible eukaryotic expression vectors (FEBS 08620) *T.E. Johansen, M.S. Schøller, S. Tolstoy, T.W. Schwartz* 289
NCAM: a surface marker for human small cell lung cancer cells (FEBS 08621) *M.C. Aletsee-Ufrecht, K. Langley, M. Rotsch, K. Havemann, M. Gratzl* 295
Intracellular aluminium inhibits acetylcholine- and caffeine-evoked Ca^{2+} mobilization (FEBS 08609) *M. Wakui, K. Itaya, D. Birchall, O.H. Petersen* 301
Biophysical studies on the lipid transfer particle from the hemolymph of the tobacco hornworm, *Manduca sexta* (FEBS 08623) *R.O. Ryan, L.D. Hicks, C.M. Kay* 305
Characterization of DHP binding protein in crayfish striated muscle (FEBS 08607) *O. Krizanova, M. Novotova, J. Zachar* 311

Corrigenda/Errata 316

Author Index 318

Contents to Volume 267 322

Notes to Authors 324